



NON-SLIP CLEANING CHECK SHEET

SWIMMING POOL AND
CHANGING ROOMS

DATE:		

TASK		INITIALS
Pool Side tiled floors		
Frequency: 6 Monthly or as required		
Machine clean with Scrubber dryer or Rotowash machine. Use		
Bonamain ceramic tile non slip floor cleaner. Mix to a dilution of 1-5		
with water. Apply by watering can to a <u>dry</u> floor surface. Scrub over		
with machine, deck brush or floor pad. Leave wet product on the surface for 10 mins. Collect soiled material through machine. Hose		
off with fresh water to drains. Test floor at random when clean and		
wet with non marking shoe to ensure cleanliness and slip resistance		
are even throughout. repeat to achieve desired effect.		
Action / Comment		
Sauna/ Steam room tiled floors		
Frequency: Monthly or as required		
Remove grate and clean with <i>Bonamain</i> mix to a Dilution of		
1-5 with water. Apply by watering can to dry tiled surface.		
Clean and rinse as above *Clean when cold*		
Action / Comment		
Shower areas		
Frequency: Monthly or as required.		
Machine clean with Scrubber dryer or Rotowash machine. Use		
Bonamain ceramic tile non slip floor cleaner. Mix to a dilution of 1-5		
with water. Apply by watering can to a <u>dry</u> floor surface.		
Clean and rinse as above		
Action / Comment		
<u>Changing rooms</u>		
Frequency : Every six months or as required.		
Machine clean with Scrubber dryer or Rotowash. Use <i>Bonamain</i>		
ceramic tile non slip floor cleaner. Dilution <u>1-10</u> with water. Apply by		
watering can to a dry floor surface. Scrub over with Scrubber dryer		
or Rotowash machine or by deck brush. Leave wet product on surface for 5-10 mins Collect soiled material through machine Rinse		
with a hose or jetwash with fresh water to drains /squeegee dry.		
NOTE when using Bonamain always use as directed		
Action / Comment		
NOTES: On completion staff to sign that cleaning has been carried		
out and floors left in a visually clean and safe condition.		
Floors that are slippery or require deep cleaning must be noted in		
the Action section and reported to the line manager on the day		
	I	